

CLEARVIEW TOWING MIRRORS (ELECTRIC POWER ADJUSTABLE)

CV-JP-GC-EB / CV-JP-GC-IEB

Page: 1 OF 8

Instructions for Installation on:
Jeep Grand Cherokee 2014 - On

Clearview's premiere line of replacement towing mirrors offers superior design, style, and feature-rich functions to meet your needs! Clearview Towing Mirrors are full replacement towing mirrors and should be your next upgrade if you're doing any repeated towing with your Jeep Grand Cherokee.



WATCH VIDEO INSTALL!



SCAN to Watch!



Direct Link:
<https://tr.im/1ULyz>



Tools you will need:
Large Straight Blade Screwdriver
#2 Philips Head Screwdriver
Small Straight Blade Screwdriver
7mm Socket
8mm Socket
10mm Socket



Scratch-Safe Auto Trim Removal Tool
Kit # 6205

HOW-TO INSTALL

Page: 2 OF 8



1. First the door panel must be removed to access the side mirror connector: Using a pocket screwdriver, remove the trim on the door panel arm rest.

2. Push back to uncover screw.



3. Using a pocket screwdriver, pry off the cover as shown from behind the door handle.

4. Loosen the screw that is revealed.



HOW-TO INSTALL

Page: 3 OF 8



5. Remove screw.

6. Carefully pry off the door panel starting at the bottom.



7. Pop off the door panel, leaving everything connected.

8. Use a hook to hold the door up.



HOW-TO INSTALL

Page: 4 OF 8



9. Locate the mirror wiring connectors behind the door panel.

10. Disconnect the white connector.



11. Disconnect the black connector.

12. Pry off the speaker housing cover.



HOW-TO INSTALL

Page: 5 OF 8



13. Run out the three bolts holding the mirror in place, taking caution to support the mirror, so not to drop it.

14. Remove original mirror, snaking connector harness through the opening.



15. Install the New Clearview Towing Mirror, guiding wiring through opening and secure the top bolt, first, to hold.

16. Then, secure bottom 2 bolts.



HOW-TO INSTALL

Page: 6 OF 8



17. Plug in the connectors.

18. Replace speaker housing cover.



19. Secure door trim.

20. Tuck wiring out of the way.



HOW-TO INSTALL

Page: 7 OF 8



21. The Mirror is now installed. Test the adjustable mirror functions.

22. Test the mirror functions before reassembling door panel.



23. Replace and secure the door panel.

24. Re-insert screw in door arm rest.



HOW-TO INSTALL

Page: 8 OF 8



25. Re-insert screw behind door handle.

26. Replace panel cover.



27. Check that all door trim is secure and in place.

28. Now use the process again to install the opposite mirror. Done!

